

## Cisco ASA 5500 Series SSL/IPsec VPN Edition

### **Delivering Safe, Secure, and Flexible Remote Network Access to Any Location**


Today's remote-access VPN deployments require the ability to safely and easily extend corporate network access beyond managed desktops to different users, devices, and endpoints. The Cisco® ASA 5500 Series SSL/IPsec VPN Edition enables organizations to securely provide network access to a broad array of users, including mobile and fixed endpoints, remote offices, contractors, and business partners.

Supporting a wide range of deployment and application environments, the Cisco ASA 5500 Series SSL/IPsec VPN Edition delivers maximum value to your organization with the most comprehensive set of Secure Socket Layer (SSL) and IP security (IPsec) Virtual Private Network (VPN) features, performance, and scalability in the industry. The Cisco ASA 5500 Series SSL/IPsec VPN Edition also provides organizations with the ability to use a powerful combination of multiple market-proven firewall, intrusion prevention (IPS), and content security technologies on a single unified platform.

### **Industry-Leading Remote-Access Technology for Your Organization**

With inclusive support for unrestricted full-network access, as well as controlled access to select Web-based applications and network resources, the Cisco ASA 5500 Series SSL/IPsec VPN Edition provides the flexibility required for any VPN deployment (Figure 1). The Cisco SSL VPN solution is easy to deploy and simple to use, offering both client and clientless options. It solves the unique challenges associated with diverse user groups and endpoints accessing the enterprise network, by offering granular access controls, depending on the user or endpoint, and robust endpoint security that maintains the integrity of confidential information.

**Figure 1.** Customizable SSL VPN and IPsec Services for Any Deployment Scenario



#### Cisco ASA 5500 Series SSL VPN: Profile and Benefits

**Deployment Flexibility:** Extends the appropriate SSL VPN technology, either clientless or full-network access, on a per-session basis, depending on the user group or endpoint accessing the network.

**Comprehensive Network Access:** Broad application and network resource access is provided through the Cisco AnyConnect VPN Client, an automatically downloadable network-tunneling client that provides access to virtually any application or resource.

**Optimized Network Performance:** The Cisco AnyConnect VPN Client provides an optimized VPN connection for latency-sensitive traffic, such as voice over IP (VoIP) traffic or TCP-based application access.

**Ubiquitous Clientless Access:** Delivers secure remote access to authenticated users on both managed and unmanaged endpoints, enabling increased productivity by providing "anytime access" to the network.

**Granular Control:** Empowers network and IT management with additional tools to provide controlled access to corporate network resources and applications.

**Unparalleled Management Flexibility:** Simplifies the complexity of managing diverse remote-access connectivity requirements common in today's enterprise.

**Low Total Cost of Ownership:** Reduces expensive help-desk calls associated with network connectivity issues and eliminates the administration costs of managing VPN client software on every endpoint.

#### Combined Technologies for Enhanced Capabilities: SSL and IPsec VPN in One Platform

In addition to the SSL VPN features, users can also take advantage of Cisco's award-winning IPsec VPN technology. By offering converged SSL and IPsec VPN technologies on one platform, the Cisco ASA 5500 Series SSL/IPsec VPN Edition delivers a highly customizable one-box solution for diverse VPN deployment environments, eliminating the cost of deploying parallel remote-access solutions.

#### Cisco ASA 5500 Product Family

The Cisco ASA 5500 Series delivers site-specific scalability from the smallest SMB and small office/home office (SOHO) deployments to the largest enterprise networks with its five models: the 5505, 5510, 5520, 5540, and 5550 (Figure 2). Each model is built with concurrent services scalability, investment protection, and future technology extensibility as its foundation.

**Figure 2.** Cisco ASA 5500 Series Products**Table 1.** Performance Information for Cisco ASA 5500 Series Appliances

	Cisco ASA 5505	Cisco ASA 5510	Cisco ASA 5520	Cisco ASA 5540	Cisco ASA 5550
<b>Maximum VPN Throughput</b>	100 Mbps	170 Mbps	225 Mbps	325 Mbps	425 Mbps
<b>Maximum Concurrent SSL VPN Sessions<sup>1</sup></b>	25	250	750	2500	5000
<b>Maximum Concurrent IPsec VPN Sessions<sup>1</sup></b>	25	250	750	5000	5000
<b>Interfaces</b>	Eight 10/100 copper Ethernet ports with dynamic port grouping (include two Power over Ethernet ports), three USB ports	Five 10/100 Fast Ethernet ports	Four 10/100/1000 copper Ethernet ports, one out-of-band management port, two USB ports	Four 10/100/1000 copper Ethernet ports, one out-of-band management port, two USB ports	Eight Gigabit Ethernet ports, four SFP fiber ports, one Fast Ethernet port
<b>Profile</b>	Desktop	1-RU	1-RU	1-RU	1-RU
<b>Stateful Failover</b>	No	Licensed feature <sup>2</sup>	Yes	Yes	Yes
<b>VPN Load Balancing</b>	No	Licensed feature <sup>2</sup>	Yes	Yes	Yes

## Ordering Information

Tables 2 and 3 provide a subset of ordering information for the Cisco ASA 5500 Series SSL/IPsec VPN Edition. All Cisco ASA 5500 Series appliances include maximum IPsec concurrent users in the base configuration of the chassis. All SSL VPN features are included under a single feature license. Every Cisco ASA 5500 Series model can support SSL VPN through the purchase of an SSL VPN license. SSL VPN on the Cisco ASA 5500 Series may be purchased under a single part number as an edition bundle, or the chassis and SSL VPN feature license may be purchased separately, as indicated in Table 3. To place an order, visit the [Cisco Ordering Home Page](#).

<sup>1</sup> Devices include a license for two SSL VPN users for evaluation and remote management purposes. The total concurrent IPsec and SSL (clientless and tunnel-based) VPN sessions may not exceed the maximum concurrent IPsec session count shown in the chart. The SSL VPN session number may also not exceed the number of licensed sessions on the device.

<sup>2</sup> Upgrade is available with Cisco ASA 5510 Security Plus license.

**Table 2.** Ordering Information for Edition Bundles

SSL VPN User Requirements	Edition Bundles	Edition Bundle Part Number
<b>10 SSL VPN Users</b>	Cisco ASA 5505 SSL/IPsec VPN Edition for 10 concurrent SSL VPN users	ASA5505-SSL10-K9
<b>25 SSL VPN Users</b>	Cisco ASA 5505 SSL/IPsec VPN Edition for 25 concurrent SSL VPN users	ASA5505-SSL25-K9
<b>50 SSL VPN Users</b>	Cisco ASA 5510 SSL/IPsec VPN Edition for 50 concurrent SSL VPN users	ASA5510-SSL50-K9
<b>100 SSL VPN Users</b>	Cisco ASA 5510 SSL/IPsec VPN Edition for 100 concurrent SSL VPN users	ASA5510-SSL100-K9
<b>250 SSL VPN Users</b>	Cisco ASA 5510 SSL/IPsec VPN Edition for 250 concurrent SSL VPN users	ASA5510-SSL250-K9
<b>500 SSL VPN Users</b>	Cisco ASA 5520 SSL/IPsec VPN Edition for 500 concurrent SSL VPN users	ASA5520-SSL500-K9
<b>1000 SSL VPN Users</b>	Cisco ASA 5540 SSL/IPsec VPN Edition for 1000 concurrent SSL VPN users	ASA5540-SSL1000-K9
<b>2500 SSL VPN Users</b>	Cisco ASA 5540 SSL/IPsec VPN Edition for 2500 concurrent SSL VPN users	ASA5540-SSL2500-K9
<b>2500 SSL VPN Users</b>	Cisco ASA 5550 SSL/IPsec VPN Edition for 2500 concurrent SSL VPN users	ASA5550-SSL2500-K9
<b>5000 SSL VPN Users</b>	Cisco ASA 5550 SSL/IPsec VPN Edition for 5000 concurrent SSL VPN users	ASA5550-SSL5000-K9

**Table 3.** Ordering Information for Individual Licenses

Cisco ASA Chassis and Applicable SSL VPN Licenses						
SSL VPN User Requirements	Part Number	Cisco ASA 5505	Cisco ASA 5510	Cisco ASA 5520	Cisco ASA 5540	Cisco ASA 5550
10 SSL VPN users	ASA5500-SSL-10	X	X	X	X	X
25 SSL VPN users	ASA5500-SSL-25	X	X	X	X	X
50 SSL VPN users	ASA5500-SSL-50	–	X	X	X	X
100 SSL VPN users	ASA5500-SSL-100	–	X	X	X	X
250 SSL VPN users	ASA5500-SSL-250	–	X	X	X	X
500 SSL VPN users	ASA5500-SSL-500	–	–	X	X	X
750 SSL VPN users	ASA5500-SSL-750	–	–	X	X	X
1000 SSL VPN users	ASA5500-SSL-1000	–	–	–	X	X
2500 SSL VPN users	ASA5500-SSL-2500	–	–	–	X	X
5000 SSL VPN users	ASA5500-SSL-5000	–	–	–	–	X

## Cisco Services

Cisco and its partners provide services that can help you deploy and manage security solutions. Cisco has adopted a lifecycle approach to services that addresses the necessary set of requirements for deploying and operating Cisco adaptive security appliances, as well as other Cisco security technologies. This approach can help you improve your network security posture to achieve a more available and reliable network, prepare for new applications, lower your network costs, and maintain network health through day-to-day operations. For more information about Cisco Security Services, visit <http://www.cisco.com/go/services/security>.

## For More Information

For more information, please visit the following links:

- Cisco ASA 5500 Series: <http://www.cisco.com/go/asa>
- Cisco Adaptive Security Device Manager: <http://www.cisco.com/go/asdm>
- Cisco Product Certifications: <http://www.cisco.com/go/securitycert>
- Cisco Technical Support Services:  
[http://www.cisco.com/en/US/products/svcs/ps3034/serv\\_category\\_home.html](http://www.cisco.com/en/US/products/svcs/ps3034/serv_category_home.html)
- Cisco Advanced Services: <http://www.cisco.com/go/services>
- Cisco Services for IPS: [http://www.cisco.com/en/US/products/ps6076/serv\\_home.html](http://www.cisco.com/en/US/products/ps6076/serv_home.html)



Americas Headquarters  
Cisco Systems, Inc.  
170 West Tasman Drive  
San Jose, CA 95134-1706  
USA  
[www.cisco.com](http://www.cisco.com)  
Tel: 408 526-4000  
800 553-NETS (6387)  
Fax: 408 527-0688

Asia Pacific Headquarters  
Cisco Systems, Inc.  
16B Robinson Road  
#29-01 Capital Tower  
Singapore 068912  
[www.cisco.com](http://www.cisco.com)  
Tel: +65 6317 7777  
Fax: +65 6317 7788

Europe Headquarters  
Cisco Systems International BV  
Houtlerbergpark  
Houtlerbergweg 13-19  
1101 CH Amsterdam  
The Netherlands  
[www-europe.cisco.com](http://www-europe.cisco.com)  
Tel: +31 0 20 620 0791  
Fax: +31 0 20 657 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at [www.cisco.com/go/offices](http://www.cisco.com/go/offices).

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aronnet, BPX, Catalyst, CCDA, CCDP, CCIE, CCR, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solve, EtherChannel, EtherFast, EtherSwitch, Fast, Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, IPPhone, IPTV, IQ Expertise, the IQ logo, IQ Net, Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networking Academy, Network Registrar, Packet, PIX, ProConnect, ScriptShare, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0705R)