

Cisco Catalyst 3560 Series Switches

Product	Part Number	Port Speed	Number of Ports	Uplinks	Software Image	When to Buy
Cisco Catalyst 3560-8PC	WS-C3560-8PC-S	10/100 with IEEE 802.3af and Cisco prestandard Power over Ethernet (PoE)	8	1 dual-purpose 10/100/1000 and Small Form-Factor Pluggable (SFP) port	IP Base	For deployments outside the wiring closet requiring low-density access with PoE
Cisco Catalyst 3560-24TS	WS-C3560-24TS-S	10/100	24	2 SFP-based ports	IP Base	For networks requiring low-density access, Layer 2+ features, and one or more fiber uplinks
Cisco Catalyst 3560-24TS	WS-C3560-24TS-E	10/100	24	2 SFP-based ports	IP Services	For networks requiring low-density access, advanced IP routing, and one or more fiber uplinks
Cisco Catalyst 3560-48TS	WS-C3560-48TS-S	10/100	48	4 SFP-based ports	IP Base	For networks requiring medium-density access, Layer 2+ features, and one or more fiber uplinks
Cisco Catalyst 3560-48TS	WS-C3560-48TS-E	10/100	48	4 SFP-based ports	IP Services	For networks requiring medium-density access, advanced IP routing, and one or more fiber uplinks
Cisco Catalyst 3560-24PS	WS-C3560-24PS-S	10/100 with IEEE 802.3af and Cisco prestandard PoE	24	2 SFP-based ports	IP Base	For networks requiring low-density access, PoE, Layer 2+ features, and one or more fiber uplinks
Cisco Catalyst 3560-24PS	WS-C3560-24PS-E	10/100 with IEEE 802.3af and Cisco prestandard PoE	24	2 SFP-based ports	IP Services	For networks requiring low-density access, PoE, advanced IP routing, and one or more fiber uplinks
Cisco Catalyst 3560-48PS	WS-C3560-48PS-S	10/100 with IEEE 802.3af and	48	4 SFP-based ports	IP Base	For networks requiring medium-

Product	Part Number	Port Speed	Number of Ports	Uplinks	Software Image	When to Buy
		Cisco pre-standard PoE				density access, PoE, Layer 2+ features, and one or more fiber uplinks
Cisco Catalyst 3560-48PS	WS-C3560-48PS-E	10/100 with IEEE 802.3af and Cisco prestandard PoE	48	4 SFP-based ports	IP Services	For networks requiring medium-density access, PoE, advanced IP routing, and one or more fiber uplinks
Cisco Catalyst 3560G-24TS	WS-C3560G-24TS-S	10/100/1000	24	4 SFP-based ports	IP Base	For networks requiring low-density 10/100/1000 access, Layer 2+ features, and one or more fiber uplinks
Cisco Catalyst 3560G-24TS	WS-C3560G-24TS-E	10/100/1000	24	4 SFP-based ports	IP Services	For networks requiring low-density 10/100/1000 access, advanced IP routing, and one or more fiber uplinks
Cisco Catalyst 3560G-24PS	WS-C3560G-24PS-S	10/100/1000 with IEEE 802.3af and Cisco prestandard PoE	24	4 SFP-based ports	IP Base	For networks requiring low-density 10/100/1000 access, PoE, Layer 2+ features, and one or more fiber uplinks
Cisco Catalyst 3560G-24PS	WS-C3560G-24PS-E	10/100/1000 with IEEE 802.3af and Cisco prestandard PoE	24	4 SFP-based ports	IP Services	For networks requiring low-density 10/100/1000 access, PoE, advanced IP routing, and one or more fiber uplinks
Cisco Catalyst 3560G-48TS	WS-C3560G-48TS-S	10/100/1000	48	4 SFP-based ports	IP Base	For networks requiring medium-density 10/100/1000 access, Layer 2+ features, and one or more fiber uplinks
Cisco Catalyst 3560G-48TS	WS-C3560G-48TS-E	10/100/1000	48	4 SFP-based ports	IP Services	For networks requiring medium-density 10/100/1000 access, advanced IP routing, and

Product	Part Number	Port Speed	Number of Ports	Uplinks	Software Image	When to Buy
						one or more fiber uplinks
Cisco Catalyst 3560G-48PS	WS-C3560G-48PS-S	10/100/1000 with IEEE 802.3af and Cisco prestandard PoE	48	4 SFP-based ports	IP Base	For networks requiring medium-density 10/100/1000 access, PoE, Layer 2+ features, and one or more fiber uplinks
Cisco Catalyst 3560G-48PS	WS-C3560G-48PS-E	10/100/1000 with IEEE 802.3af and Cisco prestandard PoE	48	4 SFP-based ports	IP Services	For networks requiring medium-density 10/100/1000 access, PoE, advanced IP routing, and one or more fiber uplinks



Americas Headquarters
Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

Asia Pacific Headquarters
Cisco Systems, Inc.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Europe Headquarters
Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: +31 0 800 020 0791
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

©2006 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networking Academy, Network Registrar, Packet, PIX, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0609R)