

Cisco Unified Communications 500 Series for Small Business

Cisco® Unified Communications is a comprehensive IP communications system of voice, video, data, and mobility products and applications. It enables more effective, more secure, more personal communications that directly affect both sales and profitability. It brings people together by enabling a new way of communicating—where your business moves with you, security is everywhere, and information is always available...whenever and wherever it is needed. Cisco Unified Communications is part of an integrated solution that includes network infrastructure, security, mobility, network management products, lifecycle services, flexible deployment and outsourced management options, end-user and partner financing packages, and third-party communications applications.

For small businesses wanting to reach, serve, and retain customers, Cisco introduces the Smart Business Communications System, a new, affordable system that makes anytime, anywhere highly secure access to information possible, thereby facilitating more effective and efficient ways of communicating with customers and employees.

Product Overview

Cisco Unified Communications 500 Series for Small Business, a critical part of the Cisco Smart Business Communications System, is a unified communications solution for small businesses that provides voice, data, voicemail, Automated Attendant, video, security, and wireless capabilities while integrating with existing desktop applications such as calendar, e-mail, and customer relationship management (CRM) programs. This easy-to-manage platform uses business-class, proven unified communications technologies to full advantage and supports flexible deployment models based on your needs—a wide array of IP phones, public switched telephone network (PSTN) interfaces, and Internet connectivity (Figure 1).

Figure 1. Cisco Unified Communications 500 Series



Core Components:

- Cisco Unified IP phones, including wireless handsets and Session Initiation Protocol (SIP) phones
- Cisco Unified Communications Manager Express for call processing
- Cisco Unity[®] Express for voice messaging and Automated Attendant
- LAN switching: Integrated and expandable through Cisco Catalyst[®] Express 520 Series Switches
- Security, firewall, and VPN capabilities
- Optional wireless LAN capability
- Cisco Configuration Assistant for GUI-based customization of the solution

Cisco Unified IP Phones

Cisco provides a complete range of Cisco Unified IP phones and communications devices designed to take full advantage of converged voice and data networks, and these devices offer the convenience and user friendliness found in business phones. Cisco Unified IP phones can help improve productivity by meeting the needs of different users throughout the organization.

The Cisco Unified IP phone portfolio provides the following:

- IP phones with LCD displays, including dynamic soft keys for call features and functions
- Support for information services, including Extensible Markup Language (XML) capabilities to extend IP phone systems to give IP phone users access to a variety of information such as stock quotes, employee directories, and Web-based content

Cisco Unified IP phones lead the IP communications device market and provide a complete IP phone system portfolio with ease of use, superior audio quality, increased accessibility for people with disabilities, ergonomic physical design, advanced services, and features.

The IP phone portfolio includes options for use from wherever the user is located: the company lobby, the manufacturing floor, the executive suite, at home, on the road, or in branch offices (Figure 2).

Figure 2. Cisco Unified IP Phone Portfolio



Cisco Unified Communications Manager Express

Cisco Unified Communications Manager Express is a Cisco IOS® Software solution embedded in the Cisco Unified Communications 500 Series appliance that provides call processing for Cisco Unified IP phones. Simple to deploy, administer, and maintain, Cisco Unified Communications Express is a reliable, feature-rich telephony solution.

Cisco Unity Express

Embedded Cisco Unity Express enables voicemail, desktop messaging, and Automated Attendant services for increased customer service and rich employee communications experience.

Cisco Unified CallConnectors for Desktop Applications

The Cisco Unified Communications 500 Series integrates with common Windows desktop applications to give small business owners access to productivity gains once available only to large businesses. With Cisco Unified CallConnectors, customers can integrate their Cisco Unified IP phones with common applications including Microsoft Outlook, Internet Explorer, Microsoft Dynamics CRM, or Salesforce.com CRM.

Integrated Network Firewall and Security

Security is a fundamental building block of any network, and Cisco products play an important role in embedding security at the customer's access edge. The Cisco IOS Firewall is a stateful-inspection firewall available with the Cisco Unified Communications 500 Series. Built from market-leading Cisco PIX® Firewall technologies, Cisco IOS Firewall is supported on the Cisco Unified Communications 500 Series platform as a base feature. Cisco IOS Firewall is an ideal single-box solution for protecting the WAN entry point into the network.

Virtual Private Networking

VPNs carry private data over a public network and extend remote access to users over a shared infrastructure. VPNs maintain the same security and management policies as private networks and are the most cost-effective means of establishing point-to-point connection between remote users and a central network. VPNs have been the fastest-growing form of network connectivity, and Cisco takes this approach to a new standard by making VPN functions an integral part of the Cisco Unified Communications offering. The Cisco Unified Communications 500 Series includes built-in hardware-based encryption acceleration that offloads IP Security (IPsec), Advanced Encryption Standard (AES), Data Encryption Standard (DES), and Triple DES (3DES) encryption and VPN processes to provide increased VPN throughput with minimal effect on the Cisco Unified Communications 500 Series CPU.

LAN Switching

The Cisco Unified Communications 500 Series has an integrated managed Ethernet switch that provides 8 ports of 10/100 Power over Ethernet (PoE) optimized for integration with the Cisco Smart Business Communications System. Additionally, the system capacity can be expanded by connecting the recommended Cisco Catalyst Express 520 Switch. The Cisco Catalyst Express 520 Switch provides 8 additional ports of 10/100 PoE and it ships with a predefined software configuration to work immediately with the Cisco Unified Communications 500 Series for Small Business.


Wireless Mobility Services

The Cisco Unified Communications 500 Series supports an optional integrated wireless LAN (WLAN) access point for secure WLAN connectivity. Small businesses can easily extend access to data applications as well as WLAN telephony. Wireless services allow greater mobility for employees, partners, and customers, resulting in increased productivity.

Cisco Configuration Assistant

Cisco Configuration Assistant, a PC-based intuitive GUI configuration tool, is an integral component of the Cisco Smart Business Communications System. With a focus on ease of use, the Cisco Configuration Assistant simplifies configuration of multiple technologies—unified communications, switching, routing, security, and wireless. Cisco Configuration Assistant simplifies telephony configuration and provides follow-up support to facilitate easy modification. Features include an interactive topology view, front-panel views of devices, and drag-and-drop Cisco IOS Software upgrades.

Figure 3. Simple, Secure, Complete, and Secure Unified Communications Solution for Small Business



Architecture Features and Benefits

The Cisco Unified Communications 500 Series is an all-in-one unified communications solution that integrates voice, data, video, security, wireless, and management into one platform. It brings unified communications to small businesses and organizations by providing a simplified, affordable solution that is easy to configure, deploy, and manage. By combining call control, messaging, and mobility into one device, the Cisco Unified Communications 500 Series eliminates the added costs of multiple servers and provides a solution that is easy to set up and manage at a lower price point.

Table 1 summarizes the features and benefits of the Cisco Unified Communications 500 Series.

Table 1. Platform Features and Benefits

Feature	Description
Solution packaging	<p>Various fixed configurations are offered, eliminating the guesswork from configuration.</p> <p>Each configuration is equipped with the appropriate number of feature licenses for call processing, voicemail, and Cisco Unified IP phones, simplifying the product structure.</p> <p>A modular slot is available in most of the configurations, allowing expansion of the system with additional PSTN interfaces.</p> <p>The appropriate number of fixed digital signal processors (DSPs) is packaged with each configuration.</p>
Default system configuration	<p>Although packaged to support various deployment configurations, it comes with a Cisco Smart Assist predefined configuration from the factory, allowing for rapid deployment of the product in the field.</p> <ul style="list-style-type: none"> • Preassigned phone extensions • Dial plan • Voice and data VLANs • Firewall settings <p>With the appropriate licensed base platform, expanding the system is easy; simply connect the companion Cisco Catalyst Express 520 Switch and connect phones to the new PoE Ethernet ports.</p>
Integrated voicemail and Automated Attendant	<p>Voice messaging raises the level of professionalism, productivity, and customer service available to small business customers with built-in Automated Attendant and advanced voicemail capabilities.</p> <p>Professional Automated Attendant allows all calls to be handled efficiently and reliably 24 hours a day. Callers can dial by extension number of the group or person they are trying to reach or use the dial-by-name feature when they do not know a specific extension.</p> <p>Voicemail extends the productivity of the organization by allowing employees to access messages at any time from any telephone. Both internal and external calls to a busy or unattended phone are forwarded to the user's voicemail box and are greeted with the user's personalized greeting.</p> <p>Integrated messaging allows for users to check their voicemail using Internet Mail Access Protocol (IMAP) cable clients, including Microsoft Outlook, Outlook Express, or Lotus Notes. Voicemail features can also be accessed using Extensible Markup Language (XML) display on Cisco Unified IP phones.</p>
Ethernet connectivity with quality of service (QoS)	<p>Ethernet connectivity is provided for IP phones or wireless access points by PoE ports that provide connectivity speeds for up to 100BASE-T Ethernet technology without the need for additional power modules. Most Cisco Unified IP phones include a 10/100 switch with QoS to provide PC desktop connectivity to the network.</p> <p>Optimized QoS is provided for IP phone and desktop configurations. The QoS level helps ensure that voice-over-IP (VoIP) traffic takes precedence.</p> <p>Separate VLANs for Voice and data traffic</p> <p>Port security is provided to limit unauthorized access to the network.</p>
Power failover	<p>A power failover feature is provided on the base configuration, giving access to the PSTN lines in case of a power outage. When power is lost, foreign-exchange-office (FXO) PSTN trunks are directly connected to foreign-exchange-station (FXS) analog ports, allowing for calls to be placed and received.</p>
Recorded announcements for callers: Music on hold (MOH)	<p>The process for providing customized MOH announcements is simplified with a dedicated MOH port, allowing small-business owners to play recorded announcements to their callers by simply plugging the audio source into the provided 3.5-mm mini-jack.</p> <p>Customers can also use wave files stored on flash memory.</p> <p>MOH is an audio stream that is played to PSTN and VoIP G.711 or G.729 callers who are placed on hold by the called party. This audio reassures the callers that they are still connected to the called party.</p>
Deployment options	<p>Cisco Unified Communications 500 Series, depending on the configuration, can be deployed as a desktop unit, wall-mounted, or installed in a standard 19-inch (48.26-cm) rack with an optional rack-mount kit.</p>

Cisco Unified Communications Features

IP telephony is currently undergoing tremendous growth, accelerated by access to value-added features and applications that only IP telephony can provide to the end user. Additionally, the cost benefits of converging data, voice, and video on a single network are adding to the rapid acceptance of this technology. Because it is integrated into a single system, Cisco Unified Communications 500 Series for Small Business enhances the advantages of convergence by offering the following unique benefits:

- **Cost-effective operations through a single, integrated voice-and-data platform for all small-office needs:** This highly reliable platform provides robust QoS and the right level of security, encryption, and firewall to deliver enhanced VPN services to meet small-business needs. The system delivers integrated IP telephony, voicemail, and Automated Attendant functions, allowing customers to deploy one device to address all their business needs—thereby simplifying management, maintenance, and operations and delivering a lower total cost of ownership (TCO).
- **Sophisticated key system and private-branch-exchange (PBX) capabilities:** Small businesses have different workflows and require specialized features to support their work practices. Cisco Unified Communications 500 Series delivers a robust set of telephony features for the small office and delivers unique, value-added capabilities through XML. These capabilities, which cannot be delivered by traditional systems, enhance the productivity of the end user and the business.
- **Remote maintenance and troubleshooting:** Customers can use the industry-standard Cisco IOS Software command-line interface (CLI) or user-friendly GUI to configure and administer the Cisco Unified Communications 500 Series system.

The Cisco Unified Communications 500 Series appliance in the first phase offers the feature set available with Cisco Communications Manager Express Release 4.1 and Cisco Unity Express 2.3. Table 2 summarizes the unified communications features.

Table 2. Cisco Unified Communications 500 Series for Small Business Features

Feature	Description
End-user Phone Features	<ul style="list-style-type: none"> • Multiline appearances on phone • Attendant console functions using Cisco Unified IP Phone Expansion Module 7914 or PC-based attendance console • Fast transfer: Blind or consult • Busy lamp • Silent ringing options • Automatic line selection for outbound calls • Call forward on busy, no answer, and all (internal or external) • Call-forward-all restriction control • Do not disturb (DND) • Feature ring with DND set • IP phone display of DND state • Dial-plan pattern load on Session Initiation Protocol (SIP) phones • Diversion of calls directly to voicemail • Customization of soft keys • Enable and disable call-waiting notification per line • Call waiting with overlay Directory Number (DN) • Call-waiting ring • Dual line appearances per button • After-hours toll-bar override • Autoanswer with headset

	<ul style="list-style-type: none"> • European date formats • Hook flash pass-through across analog PSTN trunks • Idle URL: Periodically pushes messages or graphics on IP phones • Last-number redial • Local name directory lookup • On-hook dialing • Station speed dial with configuration changes from IP phone • System speed dial for 10,000 numbers • Silent and feature ring options • SIP-based line-side subscribe, providing basic presence of phone status • Access features using soft keys or feature access codes • Remote teleworker IP phone support • Dynamic hunt-group join or leave • Support for fax machines on FXS ports using H.323, Skinny Client Control Protocol (SCCP), and SIP • XML application services on Cisco Unified IP phone displays • Station-to-station video telephony using Cisco Unified Video Advantage or Cisco Unified IP Phone 7985G endpoints
PSTN Interfaces and Features	<ul style="list-style-type: none"> • Analog FXO loop and ground start • Basic Rate Interface (BRI) support for several switch types currently supported in Cisco IOS Software • Caller ID name and number • Automatic number identification (ANI) • Direct inward dialing (DID) • Direct outward dialing • Dedicated trunk mapping to phone button • H.323 trunks with H.450 support • H450.12 automatic detection of H.450 support for remote H.323 endpoints • H.323-to-H.323 hairpin call routing for non-H.450-compliant H.323 endpoints • SIP trunks and RFC 2833 support • Transcoding G.711 and G.729a
System Features	<ul style="list-style-type: none"> • Account codes and call-detail-record (CDR) field entry • Callback busy subscriber camp-on • Per-phone call coverage rules • Call hold and retrieve • Call park: Personal and directed • Call park recall • Call park assign to extension • Call pickup directed • Call pickup local group • Call pickup explicit group • Call transfer: Consultative and blind • Call waiting • Eight-party impromptu conferencing • Computer telephony integration (CTI) with Microsoft Dynamics CRM, Outlook, or Salesforce.com CRM using Cisco IOS Software telephony services provider (TSP) • Directory services using XML • Hunt groups: Sequential, circular, and longest idle • Hunt-group dynamic log in and log out • Hunt-groups statistics: Daily and hourly • Intercom • Meet-me conferencing • MOH: Internal or external source • Night-service bell or call forwarding • Overlay extensions for enhanced call coverage • Called-name display for overlay extensions • Paging: Internal through IP phones or to external system • Per-call caller ID blocking • Secondary dial tone • Additional system speed-dial option through XML service • Time-of-day and day-of-week call blocking

	<ul style="list-style-type: none"> • Customizable called-name display • Basic automatic call distributor (B-ACD) (three queues) with Automated Attendant and call statistics • Display of number of calls in queue on IP phone • Agent log in and log out of B-ACD hunt group • Secure voice IP phone certificate authentication and provisioning plus secure device signaling using Transport Layer Security (TLS) <p>For additional information about Cisco Unified Communications Manager Express features, please visit http://www.cisco.com/go/ccme.</p>
Voice Messaging	<ul style="list-style-type: none"> • Integrated voicemail and Automated Attendant solution using Cisco Unity Express • Complete yet concise telephony user interface (TUI) tutorial: Takes the user step by step through the mailbox setup process, minimizing the need for administrator assistance, saving time and money • Full range of commonly used voicemail features • Comprehensive voicemail feature set: Replying, forwarding, saving messages; message tagging for privacy or urgency; alternate greetings; pause, fast forward, and rewind; and envelope information • Networking: Voice Profile for Internet Mail (VPIM) protocol to communicate with other Cisco messaging platforms • Distribution lists and broadcast messages • Public and private distribution list function and broadcast messaging capability • General-delivery mailboxes (GDMs) • Multiple GDM voicemail boxes for designated team members • Ability for subscribers to recover a message if it is inadvertently deleted • Ability to share the user interface, menu structure, and commands with other Cisco voice messaging products • Personal operator: Configurable alternate telephone number (per voice mailbox) for “zero out” option • Voicemail access using IMAP integration with Microsoft Outlook, Outlook Express, or Lotus Notes • Cisco Unified IP phone voicemail and mailbox settings access using VoiceView Express XML application
Automated Attendant	<ul style="list-style-type: none"> • Up to five Automated Attendants per system • Standard dial-by-name, dial-by-extension Automated Attendant • Holiday schedules and calendar • Business-hours schedule • Script editor: Graphical scripting tool creates customized Automated Attendant menu flows • Support for time-of-day and day-of-week routing • Unlimited menu items and unlimited nesting • Administration through telephony • Record Automated Attendant prompts from phone or computer • Create and manage broadcast messages • Record spoken names for remote users • Emergency alternate greeting: Alert callers to temporary schedule changes due to snow, holidays, etc. <p>For additional information about voicemail and Automated Attendant features, please visit http://www.cisco.com/go/cue.</p>
Management	<ul style="list-style-type: none"> • Preconfigured to allow for connection of phones and PSTN lines to start using system right away • Automatic assignment of extensions and voicemail boxes for phones for ease of deployment and future phone additions • Extension assigner, allowing replacement of phones using simple, easy-to-follow voice prompts • Windows GUI-based Cisco Configuration Assistant for complete system setup; customization and management included • Simple Network Management Protocol (SNMP) support with Cisco Unified Operations Manager or third-party management consoles <p>For additional information about Cisco Configuration Assistant, please visit http://www.cisco.com/go/configassist.</p>

Security and Firewall—Features and Benefits

Security is a fundamental building block of any network, and Cisco products play an important role in embedding security at the customer’s access edge. The Cisco IOS Software security features

for the Cisco Unified Communications 500 Series are activated with hardware-based encryption on the motherboard and provide a robust array of features such as Cisco IOS Firewall, IPsec VPNs (DES, 3DES, and AES), Secure Sockets Layer (SSL) Web VPN, Secure Shell (SSH) Protocol Version 2.0, and SNMP in one solution set. Cisco Unified IP phone certificate authentication and provisioning, plus secure device signaling using TLS, is also standard.

Table 3. Secure Networking Features and Benefits

Feature	Benefit
Cisco IOS Firewall	Sophisticated security and policy enforcement provides features such as stateful, application-based filtering (context-based access control), per-user authentication and authorization, real-time alerts, and transparent firewall.
Cisco Easy VPN Remote and Server support	The Cisco Unified Communications 500 Series eases administration and management of point-to-point VPNs by actively pushing new security policies from a single headend to remote sites.
Standard 802.1x support on integrated switching	Standard 802.1x applications require valid access credentials that make unauthorized access to protected information resources and deployment of unsecured wireless access points more difficult.
Network Address Translation (NAT)	This feature simplifies and reduces costs associated with global IP address allocation and management. Only a single registered IP address is required to support all users on an entire LAN infrastructure.

Wireless Support Feature and Benefits

The Cisco Unified Communications 500 Series wireless factory option provides a secure, affordable, and easy-to-use WLAN solution that combines mobility and flexibility with the best-in-class features required by business professionals. With a management system based on Cisco IOS Software, the Cisco Unified Communications 500 Series wireless option uses Wi-Fi-certified, 802.11b/g-compliant LAN transceivers.

Table 4. Wireless Features and Benefits

Feature	Benefit
WLAN connectivity	<p>The 802.11b/g integrated access point can be used to provide integrated WLAN connectivity to mobile clients - voice and data - resulting in mobility and enhanced productivity for users.</p> <p>The integrated 802.11b/g access point in the Cisco Unified Communications 500 Series supports up to 54-Mbps connections.</p> <p>Cordless WLAN IP phones allow users to be mobile and more productive.</p>
Enhanced security	<p>Enhanced security is provided with support for Wi-Fi Protected Access (WPA and WPA2), including authentication with 802.1X and Cisco LEAP, Protected Extensible Authentication Protocol (PEAP), dynamic Wired Equivalent Privacy (WEP), or static WEP.</p> <p>WLAN VLANs and 802.1q/e are also supported; these features prioritize voice and video traffic with queuing.</p> <p>Employee and guest WLAN access is through separate VLANs.</p>

Summary

The Cisco Unified Communications 500 Series for Small Business is an all-in-one, simple, smart, and affordable unified communications solution designed specifically for growing businesses with 8 to 50 employees. It takes advantage of industry-leading, business-class, proven unified communications technologies (voice, data, video, security, and wireless) integrated into one platform and facilitates integration with commonly used desktop applications such as Microsoft Outlook and Outlook Express, IBM Lotus Notes, and CRM software. Functions include Automated Attendant and voicemail, PSTN and Internet connectivity, and analog phone and fax machine support. A wide array of IP phones are supported by PoE ports. The Cisco Unified Communications 500 Series solution also provides the capability to network the office for voice, video, and data networking and allows business owners and employees to be securely connected to the office while they are traveling or working from their home offices.

Product Specifications

Table 5 gives specifications of the Cisco Unified Communications 500 Series.

Table 5. Specifications of Cisco Unified Communications 500 Series

Chassis Specifications	
Cisco Unified Communications 500 Series	8- and 16-user configuration with optional Cisco Catalyst Express 520 Switch
Packaging type	Desktop or wall-mount (Rack-mount: optional)
Product architecture	
DRAM	<ul style="list-style-type: none"> Cisco IOS Software: 256 MB Voice messaging: 512 MB
Compact flash memory	<ul style="list-style-type: none"> Cisco IOS Software: 128 MB Voice messaging: 1 GB; USB or Compact Flash
Onboard Ethernet ports	<ul style="list-style-type: none"> Eight 10-/100-Mbps LAN One 10-/100-Mbps WAN uplink One 10/100 Ethernet expansion port

Voice expansion slots	One voice-interface-card (VIC) slot to support Cisco VIC modules for PSTN and analog phone devices
MOH	Single 3.5-mm audio port or wave file stored in flash memory
Integrated encryption	Included
Integrated inline PoE ports	Base unit includes 8 built-in 10/100 PoE ports (802.AF or Cisco Prestandard); Cisco Catalyst Express 520 Switch recommended for additional ports
FXS ports	<ul style="list-style-type: none"> • 4 built-in FXS ports (configured as FXS in the default system configuration); • expandable to support 4 additional ports
PSTN interfaces (FXO or BRI)	<ul style="list-style-type: none"> • 4 built-in FXO ports or 2 built-in BRI ports • Expandable to support 4 FXO or 2 BRI additional ports
Console port	1 console port - up to 115.2 kbps
Voicemail ports	6 ports for voicemail and Automated Attendant
Deployment options	Desktop; wall-mount, and rack-mount (rack-mount requires an optional rack-mount kit)
Power requirements	
Power supply	External
AC input voltage	100 to 240 VAC
AC input frequency	50 to 60 Hz
AC input current	4 to 2A (100 to 240V)
AC input surge current	50 to 100A (100 to 240V)
Maximum inline power distribution	80W
Power dissipation: AC without IP phone support	80W 90W (including external AC adapter)
Power dissipation: AC with IP phone support for IP phones	175W 190W (including external AC adapter)
Environmental Specifications	
Operating temperature	32 to 104°F (0 to 40°C)
Operating humidity	10 to 85% noncondensing operating; 5 to 95 noncondensing, nonoperating
Nonoperating temperature	4 to 149°F (–20 to 65°C)
Operation altitude	<ul style="list-style-type: none"> • 40°C (104°F) at sea level • 31°C (87.8°F) at 6,000 ft (1800m) • 25°C (77°F) at 10,000 ft (3000m) Note: Derate 1.5°C (34.7°F) per 1000 ft
Dimensions (H x W x D)	<ul style="list-style-type: none"> • 2.625 x 10.5 x 11.05 in. • (6.67 x 26.67 x 28.07 cm)
Power supply dimensions (H x W x D)	<ul style="list-style-type: none"> • 1.7 x 4 x 7.5 in. • 4.3 x 10.16 x 19.05 cm
Rack height	1.5 rack unit (RU)
Weight (fully configured)	8 lb (3.63 kg)
Power supply	3 lb (1.36 kg)
Noise level (minimum and maximum)	Normal operating temperature: <ul style="list-style-type: none"> • <78°F (25.6°C): 34 dBA • →78°F (25.6°C) through <104°F (40°C): 37 dBA • →104°F (40°C): 42 dBA
Regulatory Compliance	
Safety	<ul style="list-style-type: none"> • IEC 60950-1 • AS/NZS 60950.1 • CAN/CSA-C22.2 No. 60950-1 • EN 60950-1 • UL 60950-1

Immunity	<ul style="list-style-type: none"> • EN 55024 • EN 300-386 • EN 61000-6-2 • EN 50082-1 • EN 55024 (CISPR 24)
EMC	<ul style="list-style-type: none"> • FCC Part 15, ICES-003 • EN55022, CISPR 22 • AS/NZS • CNS13438 • VCCI V-3 • EN 55024 • EN 300-386 • EN 61000-3-2 • EN 61000-3-3 • EN 50082-1 • EN 55024 (CISPR 24) • EN 61000-4-2 • EN 61000-4-3 • EN 61000-4-4 • EN 61000-4-5 • EN 61000-4-6 • EN 61000-4-8 • EN 61000-4-11 • EN 61000-6-2
FIPS-2	Yes, using the optional FIPS kit (CISCO1800FIPS/KIT=)
TELCOM**	<p>FXS/DID</p> <ul style="list-style-type: none"> • TIA-968-A3 • CS-03 Part I • ACIF S002 • ACIF S003 • ANZ PTC200 <p>ISDN BRI S/T (voice and data BC)</p> <ul style="list-style-type: none"> • TIA-968-A3 • CS-03 Part VI • TBR3 • ACIF S031 • 2ANZ PTC200 • MPMHAPT Japan Digital <p>FXO</p> <ul style="list-style-type: none"> • TIA-968-A3 • CS-03 Part I • TBR21 • MPMHAPT Japan Analog • ACIF S002 • ACIF S003 • ACIF S004 • ANZ PTC200 <p>Music on Hold interface</p> <ul style="list-style-type: none"> • ACIF S038 • ACIF S004 • TIA-464C

WLAN Specifications

Table 6 gives WLAN specifications of the Cisco Unified Communications 500 Series.

Table 6. WLAN Specifications

Feature	Description
WLAN hardware	<ul style="list-style-type: none"> • 802.11b/g • Automatic rate selection for 802.11b/g • RP-TNC connectors for field-replaceable external antennas (antenna options for extended coverage) • Antenna diversity included (external antenna optional) • Indoor range: 1 Mbps at 320 ft (97.54m) • Wireless Ethernet Compatibility Alliance (WECA) interoperability • Default antenna gain: 2.2 dBi
WLAN software	<ul style="list-style-type: none"> • Maximize-throughput or maximize-range options • Software-configurable transmit power • Wireless Multimedia (WMM) certification • Service Set Identifier (SSID) globalization
WLAN security	<ul style="list-style-type: none"> • 802.1X • 802.11e • WPA and AES (WPA2) • EAP authentication: Cisco LEAP, PEAP, and EAP FAST • Static and dynamic WEP • Temporal Key Integrity Protocol Simple Security Network (TKIP SSN) encryption • MAC authentication and filter • User database for survivable local authentication using LEAP and EAP FAST • Configurable limit to the number of wireless clients • Configurable RADIUS accounting for wireless clients • Preshared keys (PSKs) • Workgroup bridge association
SSIDs and Service Set Identification List (SSDIL)	3
Wireless VLANs	3
Encrypted wireless VLANs	3
Multiple basic SSIDs (MBSSIDs)	1

Localization

The Cisco Unified Communications 500 Series supports all the localizations available on Cisco Unified Communications Manager Express 4.1 and Cisco Unity Express 2.3. Table 7 summarizes the localizations supported.

Table 7. Localization Support

Language	Variation	Cisco Unified IP Phones, Cadences, and Network Tones	Voicemail Prompts
English	United States	Y	Y
German		Y	Y
French	European	Y	Y
Spanish	European	Y	Y
Italian		Y	Y
Portuguese	Brazilian	N	Y
Spanish	Latin American	N	Y
Danish		Y	Y

English	British	Y	Y
Japanese		Y	Y
Spanish	Mexican	N	Y
French	Canadian	N	Y
Chinese	Mandarin	Y	Y
Korean		Y	Y

Note: Additional languages may be supported on Cisco Unified IP phones; for more information, go to <http://www.cisco.com/go/ipc>.

Availability

The Cisco Unified Communications 500 Series for Small Business will be available in May 2007.

Ordering Information

To place an order, visit the Cisco Ordering Home Page.

For more information about the Cisco Unified Communications 500 Series, visit <http://www.cisco.com/go/uc500>. Table 8 lists the ordering and other available options.

Table 8. Ordering Information

Part Number	Description
UC520-8U-4FXO-K9	8 User configuration with 4 PSTN trunks (FXO), 4 Analog ports (FXS), 8 PoE ports, 1 VIC slot for expansion Feature licenses for call control, voicemail and Cisco Unified IP Phones
UC520-8U-2BRI-K9	8 User configuration with 2 BRI trunks (BRI), 4 Analog ports (FXS), 8 PoE ports, 1 VIC slot for expansion Feature licenses for call control, voicemail and Cisco Unified IP Phones
UC520-16U-4FXO-K9	16 User configuration with 4 PSTN trunks (FXO), 4 Analog ports (FXS), 8 PoE ports, 1 VIC slot for expansion Feature licenses for call control, voicemail and Cisco Unified IP Phones Note: 8– 10/100 port Cisco Catalyst Express 520 switch is recommended as an expansion switch
UC520-16U-2BRI-K9	16 User configuration with 2 BRI trunks (BRI), 4 Analog ports (FXS), 8 PoE ports, 1 VIC slot for expansion Feature licenses for call control, voicemail and Cisco Unified IP Phones Note: 8– 10/100 port Cisco Catalyst Express 520 switch is recommended as an expansion switch
UC520W-8U-4FXO-K9	8 User configuration with 4 PSTN trunks (FXO), 4 Analog ports (FXS), 8 PoE ports, 1 VIC slot for expansion, Integrated Wi-Fi Access Point Feature licenses for call control, voicemail and Cisco Unified IP Phones
UC520W-8U-2BRI-K9	8 User configuration with 2 BRI trunks (BRI), 4 Analog ports (FXS), 8 PoE ports, 1 VIC slot for expansion, Integrated Wi-Fi Access Point Feature licenses for call control, voicemail and Cisco Unified IP Phones
UC520W-16U-4FXO-K9	16 User configuration with 4 PSTN trunks (FXO), 4 Analog ports (FXS), 8 PoE ports, 1 VIC slot for expansion, Integrated Wi-Fi Access Point Feature licenses for call control, voicemail and Cisco Unified IP Phones Note: 8– 10/100 port Cisco Catalyst Express 520 switch is recommended as an expansion switch
UC520W-16U-2BRI-K9	16 User configuration with 2 BRI trunks (BRI), 4 Analog ports (FXS), 8 PoE ports, 1 VIC slot for expansion, Integrated Wi-Fi Access Point Feature licenses for call control, voicemail and Cisco Unified IP Phones Note: 8– 10/100 port Cisco Catalyst Express 520 switch is recommended as an expansion switch

Modular Support

Table 9 lists available modules and interface cards supported in the expansion slot.

Table 9. Modules and Interface Cards Supported in Expansion Slot

Part Number	Description
VIC3-2FXS/DID	2-port VIC-FXS/DID
VIC-4FXS/DID	4-port VIC-FXS/DID
VIC3-4FXS/DID	4-port VIC-FXS/DID
VIC2-2FXO	2-port VIC-FXO (universal)
VIC2-4FXO	4-port VIC-FXO (universal)
VIC2-2BRI-NT/TE	2-port VIC card-BRI (NT and TE)

Service and Support

Leading-edge technology deserves leading-edge service and support. Cisco offers a wide range of services programs to accelerate customer success. These innovative services programs are delivered through a unique combination of people, processes, tools, and partners, resulting in high levels of customer satisfaction. Cisco services help you protect your network investment, optimize network operations, and prepare your network for new applications to extend network intelligence and the power of your business.

Cisco SMARTnet[®] support gives businesses and IT staff direct, anytime access to Cisco engineers and experts and award-winning online service tools to help ensure the fast, expert response and accountability they require to resolve mission-critical network problems. Cisco SMARTnet support provides:

- Global access to the Cisco Technical Assistance Center (TAC) 24 hours a day
- Access to the extensive knowledgebase and productivity tools at Cisco.com
- Next-business-day advance hardware replacement (premium options available for business-critical devices, such as under-2-hour replacement and onsite service)
- Ongoing operating system software updates and upgrades
- Major Cisco Unified Communications Manager Express and Unified Messaging Express Software updates in protocol, security, bandwidth, and feature improvements

Limited One Year Hardware Warranty

For details about the Cisco Unified Communications 500 Series Limited One Year Hardware Warranty, visit:

http://www.cisco.com/en/US/products/prod_warranties_item09186a00800df3b2.html.

For More Information

For more information about the Cisco Unified Communications 500 Series, visit <http://www.cisco.com/go/uc500> or contact your local Cisco account representative.

Cisco Unified Communications Services and Support

Using the Cisco Lifecycle Services approach, Cisco and its partners offer a broad portfolio of end-to-end services to support the Cisco Unified Communications system. These services are based on proven methodologies for deploying, operating, and optimizing IP communications solutions. Initial planning and design services, for example, can help you meet aggressive deployment

schedules and minimize network disruption during implementation. Operate services reduce the risk of communications downtime with expert technical support, and optimize services enhance solution performance for operational excellence. Cisco and its partners offer a system-level service and support approach that can help you create and maintain a resilient, converged network that meets your business needs.


Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
www.cisco.com
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

Asia Pacific Headquarters

Cisco Systems, Inc.
168 Robinson Road
#28-01 Capital Tower
Singapore 068912
www.cisco.com
Tel: +65 6317 7777
Fax: +65 6317 7799

Europe Headquarters

Cisco Systems International BV
Haarlerbergpark
Haarlerbergweg 13-19
1101 CH Amsterdam
The Netherlands
www-europe.cisco.com
Tel: +31 0 800 020 0791
Fax: +31 0 20 357 1100

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

©2007 Cisco Systems, Inc. All rights reserved. CCVP, the Cisco logo, and the Cisco Square Bridge logo are trademarks of Cisco Systems, Inc.; Changing the Way We Work, Live, Play, and Learn is a service mark of Cisco Systems, Inc.; and Access Registrar, Aironet, BPX, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSF, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems logo, Cisco Unity, Enterprise/Solver, EtherChannel, EtherFast, EtherSwitch, Fast Step, Follow Me Browsing, FormShare, GigaDrive, GigaStack, HomeLink, Internet Quotient, IOS, iPhone, IP/TV, iQ Expertise, the iQ logo, iQ Net Readiness Scorecard, iQuick Study, LightStream, Linksys, MeetingPlace, MGX, Networking Academy, Network Registrar, Packet, PIX, ProConnect, RateMUX, ScriptShare, SlideCast, SMARTnet, StackWise, The Fastest Way to Increase Your Internet Quotient, and TransPath are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or Website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (0701R)